

# INDEX MAPS.

## T. 27N, R. 7 E. 2<sup>nd</sup> Mer.

*Meanders 274, 276*

	260	261	261-260	260	259	259
261	6	5	4	3	2	1 259
263	7	8	9	10	11	12 258
263	18	17	16	15	14	13 258
263	19	20	21	22	23	24 258
262	30	29	28	27	26	25 257
262	31	32	33	34	35	36 257

## T. 28N, R. 7 E. 2<sup>nd</sup> Mer.

*Meanders 301, 302*

	299	299	298	298	298	297
301	6	5	4	3	2	1 297
300	7	8	9	10	11	12 297
300	18	17	16	15	14	13 296
300	19	20	21	22	23	24 296
300	30	29	28	27	26	25 296
299	31	32	33	34	35	36 295

The figures on the lines refer to the page.

Township Lines.

Ch. 1st South Boundary. Van. 6. 15. E.  
Bearings for corner of T. 27 N. 28 N, R. 7 E 8 E.  
a Walnut 24 in. dia. bears N 27 E 22 W. dist. 3  
a Beech 10 " " " S 49 W 13 " "

West on the S. Boundary of Sec. 30

12.77 an Ash 24 in. dia.

40.00 set of sec. post from which

a Buckeye 6 in. dia. bears N 53 E 17 W. dist. 3  
a Sugar 30 " " " S 54 W 45 " "

80.00 set post cor. of sec. 35 & 36 from which

a Hickory 18 in. dia. bears N 82 E 8 W. dist. 3  
an Ash 8 " " " S 28 W 15 " "

Rich land. Timber Walnut, Oak, Ash, Sugar &c

West on the S. Boundary of Sec. 35

11.06 a Sugar 12 in. dia.

40.00 set of sec. post from which

an Ironwood 8 in. dia. bears S 43 W 10 W. dist. 3  
a Sugar 4 " " " N 25 E 34 " "

70.36 a Buckeye 18 " "

80.00 set post cor. of sec. 34 & 35 from which

an Ironwood 8 in. dia. bears S 25 W 10 W. dist. 3  
a Do 8 " " " N 7 W 25 " "

First rate land. Timber Ash, Sugar &c

April 5. 1820 John M. Donald, D. S.

West on the S. Boundary of Sec. 34

1.20 set post on right bank of Salamancie R. from which

a Hackberry 14 in. dia. bears N 67 E 10 W. dist. 3  
a Buckeye 12 " " " S 34 W 17 " "

4.14 set post on left bank of Salamancie R. from which

an Oak 18 in. dia. bears N 45 W 25 W. dist. 3  
a Do 22 " " " S 24 E 38 " "

17.43 a Sugar 24 " "

40.00 set of sec. post from which

294

T. 28 N., R. 7 E. 2. Mer. Ind. a

Ch. Ch.

a Walnut 12 in. dia. bears N 53 E 14 W. dist. 8

a Sugar 18 " " " S 71 W 16 " "

49.98 a Sugar 24 " "

80.00 set part cor. of sec. 33 & 34 from which

a Buckeye 12 in. dia. bears N 49 W 8 W. dist. 8

an Ironwood 12 " " " N 30 E 30 " "

All River bottom at rate.

West on the S. Boundary of Sec. 33,

16.70 a Buckeye 24 in. dia.

33.15 Intersect left bank of Wabash River 32 W. North of the old line, set part from which

a Sycamore 30 in. dia. bears S 46 E 87 W. dist. 8

an Elm 40 " " " S 88 E 86 " "

(Description of land & omitted) June 2. 1839

Chauncy Carter, D. S.

East on the S. Boundary of Sec. 31 Var. 6.15 E.

24.31 a Beech 18 in. dia.

27.49 set of sec. part from which

a Sugar 24 in. dia. bears North 2 W. dist. 8

a Sugar 18 " " " N 85 E 15 " "

[The post actually stands at 30.27 Ch. or 2.78 Ch. East of the of sec. corner.]

55.88 a Beech 16 in. dia.

67.49 set part cor. of sec. 31 & 32 from which

a Beech 14 in. dia. bears S 84 E 22 W. dist. 8

a Do 10 " " " N 70 W 14 " "

East on the S. Boundary of Sec. 32

29.18 a Beech 18 in. dia.

40.00 set of sec. part from which

a Beech 8 in. dia. bears N 87 W 34 W. dist. 8

a Do 24 " " " N 11 E 41 " "

[The post actually stands 2.78 Ch. East of the of sec. cor.]

61.92 a Stream 30 W. wide course NW

295

T. 28 N., R. 7 E. 2. Mer. Ind.<sup>a</sup>  
Ch. 10.

65.54 a Stream 20 Mts. wide course SW

75.10 set post on right bank of Wabash R. from which  
a B. Ash 12 in. dia. bears N 31 E 82 Mts. dist. 2  
an Elm 12 " " N 73 W 63 " "

80.00 cor. of sec. 32 & 33 in Wabash River.

---

East on the S. Boundary of Sec. 33

8.38 set post on right bank of Wabash River from which  
a Maple 6 in. dia. bears S 21 E 15 Mts. dist. 8  
a Do 13 " " N 73 W 63 " "

40.26 set post on right bank of Wabash R. from which  
a Hackberry 3 in. dia. bears N 8 E 3 Mts. dist. 3  
a Do 17 " " S 7 E 16 " "

40.42 over Wabash River to the place of Beginning  
12 Mts. S. of post. David Hillis  
Deputy Surveyor.

---

East Boundary. Var. E. 20. E.  
North on the E. Boundary of Sec. 30

33.85 a Sugar 18 in. dia.

40.00 set of sec. post from which  
a Walnut 12 in. dia. bears N 66 W 17 Mts. dist. 3  
a Buckeye 10 " " N 20 E 20 " "

40.10 set post on left bank of Wabash R. from which  
a Buckeye 20 in. dia. bears N 85 E 13 Mts. dist. 2  
a Hackberry 24 " " N 68 W 18 " "

First rate land. Timber Sugar, Elm, Hack-  
berry &c. April 6. 1820

John M. Donald  
Deputy Surveyor.

---

North on the E. Boundary of Sec. 30 Var. E. 15 E.

Beginning at the post on left bank of Wabash R.

3.80 set post on right bank of Wabash River from wh.  
a Sugar 7 in. dia. bears N 42 W 8 Mts. dist. 3  
a Do 6 " " N 56 E 16 " "



T. 28 N., R. 7 E. 2<sup>d</sup> Mer. Ind. a

Ch. Lk.

21.77 a Sugar 15 in. dia.

33.90 set part cor. of sec. 25 & 36 from which  
 a Buckeye 10 in. dia. bears N37°W 11 Ws. dist. 8  
 a Do 9 " " S27°W 25 " "

## North on the E. Boundary of Sec. 25

10.88 a Stream 20 Ws. wide course SW

23.75 Intersect North line of La. Gross' Reserve, set part  
 from which

a Beech 10 in. dia. bears N70°W 19 Ws. dist. 8  
 an Elm 15 " " N54°E 14 " "

25.09 a Beech 18 " "

28.32 a Stream 19 Ws. wide course SE

40.00 set q. sec. part from which

a Buckeye 4 in. dia. bears S48°W 7 Ws. dist. 8  
 an Ironwood 6 " " N69°W 11 " "

66.22 a Beech 28 " "

80.00 set part cor. of sec. 24 &amp; 25 from which

a Beech 24 in. dia. bears S35°W 20 Ws. dist. 8  
 an Ironwood 4 " " N44°W 15 " "

## North on the E. Boundary of Sec. 24

21.12 a Beech 15 in. dia.

40.00 set q. sec. part from which

an Ironwood 5 in. dia. bears S37°W 23 Ws. dist. 8

a Dogwood 5 " " N34°W 16 " "

63.88 a Beech 16 " "

80.00 set part cor. of sec. 13 &amp; 24 from which

a Bur Oak 40 in. dia. bears S27°W 8 Ws. dist. 8  
 an Ironwood 6 " " N81°W 10 " "

## North on the E. Boundary of Sec. 13

25.08 a Beech 12 in. dia.

40.00 set q. sec. part from which

a Beech 18 in. dia. bears S6°W 6 Ws. dist. 8

a Do 18 " " N34°W 24 " "

T. 28 N., R. 7 E. 2<sup>o</sup> Mer. Ind.<sup>a</sup>

Ch. Sk.

63.34 a W. Oak 45 in. dia.

80.00 set part cor. of sec. 12 & 13 from which  
a Beech 18 in. dia. bears S 36° W 30 Ws. dist. 8  
a Do 18 " " " N 36° W 27 " "

---

North on the E. Boundary of Sec. 12

24.07 a W. Oak 20 in. dia.

40.00 set of sec. part from which  
a Sugar 15 in. dia. bears S 28° W 33 Ws. dist. 8  
a B. Ash 7 " " " N 19° W 23 " "

65.68 a Beech 17 " "

80.00 set part cor. of sec. 1 & 12 from which  
a Beech 6 in. dia. bears S 23° W 26 Ws. dist. 8  
a Do 10 " " " N 86° W 15 " "

---

North on the E. Boundary of Sec. 1

30.68 a B. Ash 24 in. dia.

40.00 set of sec. part from which  
a B. Ash 6 in. dia. bears S 58° W 15 Ws. dist. 8  
a Hickory 18 " " " N 37° W 36 " "

74.54 a Beech 12 " "

80.49 to part cor. of T. 28 & 29 N., R. 7 & 8 E. from which  
a Beech 18 in. dia. bears N 11° E 20 Ws. dist. 8  
a Do 20 " " " N 69° W 80 " "

Land on first mile 1<sup>st</sup> rate, the balance 2<sup>o</sup>  
rate. Timber Buckeye, Beech & Oak. Wp.  
Buckeye & Spice. October 30. 1827

---

North Boundary. Var. E. 10. E.

West on the S. Boundary of Sec. 36, T. 29 N., R. 7 E

9.50 a Stream 20 Ws. wide course NE

17.40 a Do 40 " " " SE

21.40 a W. Oak 46 in. dia.

40.00 set of sec. part from which  
a Beech 6 in. dia. bears S 58° E 12 Ws. dist. 8  
a Do 8 " " " N 85° W 35 " "

T. 28 N., R. 7 E. 2.<sup>d</sup> Mer. Ind.<sup>a</sup>  
Chs. 1st.

60.13 a Lym 30 in. dia.

80.00 set part cor. of sec. 35 & 36 from which  
a Beech 10 in. dia. bears N 26 E 8 1/2 lbs. dist. 8  
an Elm 18 " " " N 31 W 17 " "

Land level 2.<sup>d</sup> rate. Timber Beech, Hickory, Oak &c.

West on the S. Boundary of Sec. 35, T. 29 N., R. 7 E  
28.75 a Beech 14 in. dia.

40.00 set of sec. part from which  
a W. Oak 14 in. dia. bears N 58 E 15 1/2 lbs. dist. 8  
a Beech 14 " " " N 55 W 8 " "

57.82 a B. Ash 36 " "

80.00 set part cor. of sec. 34 & 35 from which  
a Beech 23 in. dia. bears N 81 E 33 1/2 lbs. dist. 8  
an Ironwood 6 " " " N 67 W 31 " "  
Land &c. same as last described.

West on the S. Boundary of Sec. 34, T. 29 N., R. 7 E  
29.00 a Beech 18 in. dia.

40.00 set of sec. part from which  
a Sugar 21 in. dia. bears N 64 W 13 1/2 lbs. dist. 8  
a Beech 13 " " " N 67 E 45 " "

53.50 a Bur Oak 22 in. dia.

80.00 set part cor. of sec. 33 & 34 from which  
a Beech 14 in. dia. bears N 2 E 13 1/2 lbs. dist. 8  
a B. Ash 16 " " " N 75 W 37 " "  
Land &c. same as last described.

West on the S. Boundary of Sec. 33, T. 29 N., R. 7 E  
27.76 a Beech 24 in. dia.

40.00 set of sec. part from which  
a R. Oak 18 in. dia. bears N 8 E 14 1/2 lbs. dist. 8  
a Beech 10 " " " N 75 W 31 " "

53.90 a Beech 18 " "

80.00 set part cor. of sec. 32 & 33 from which  
a Beech 18 in. dia. bears N 11 W 17 1/2 lbs. dist. 8

299

T. 28 N., R. 7 E. 2. Mer. Ind.<sup>a</sup>  
Chas. L. W.

a Beech 15 in. dia. leans N 37 E 38 W. dnt.  
Land &c. same as last described.

---

West on the S. Boundary of Sec. 32, T 29 N., R 7 E  
33.85 a W. Oak 18 in. dia.

40.00 set gr. sec. post from which

a Bur Oak 30 in. dia. leans N 78 W 18 W. dnt. &

a Buckeye 7 " " " N 37 E 19 " "

60.14 a Bur Oak 17 " "

80.00 set post cor. of sec. 31 & 32 from which

a Maple 14 in. dia. leans N 57 W 10 W. dnt. &

a Sycamore 20 " " " N 43 E 28 " "

Land &c. same as last described.

---

West on the S. Boundary of Sec. 31, T 29 N., R 7 E  
29.57 a W. Oak 20 in. dia.

40.00 set gr. sec. post from which

a Cherry 6 in. dia. leans N 42 E 22 W. dnt. &

a S. Ash 10 " " " N 42 W 19 " "

56.33 a Sycamore 36 in. dia.

64.13 Intersect W. Boundary at post cor. of T. 28 &  
29 N., R. 6 & 7 E. from which

a B. Oak 40 in. dia. leans N 55 E 10 W. dnt. &

a Beech 5 " " " N 55 W 19 " "

Land level 2. rate. Timber Beech, Hickory &  
Oak. Upr. Ironwood & Sugar.

November 13. 1827

---

West Boundary. Var. 5.55. E.  
North on the E. Boundary of Sec. 36, T 28 N., R 6 E  
31.89 a Beech 13 in. dia.

40.00 set gr. sec. post from which

a Sugar 15 in. dia. leans S 42 W 41 W. dnt. &

a Do 14 " " " N 46 W 42 " "

64.11 an Elm 14 " "

80.00 set post cor. of sec. 25 & 36 from which



*T. 28 N., R. 7 E. 2<sup>d</sup> Mer. Ind. a*  
*Chp. Chp.*

a Beech 12 in. dia. bears S 12° W 28 W. dist. 8  
 a Do 11 " " " N 59° W 23 " "

*North on the E. Boundary of Sec. 25, T. 28 N., R. 6 E*

13.70 an Elm 14 in. dia.

40.00 set of sec. post from which

an Ironwood 6 in. dia. bears S 10° W 25 W. dist. 8

a Do 7 " " " N 50° W 10 " "

58.17 a Beech 9 " "

80.00 set post cor. of sec. 24 & 25 from which

an S. Ark 15 in. dia. bears S 20° W 22 W. dist. 8

an Ironwood 6 " " " N 79° W 8 " "

*North on the E. Boundary of Sec. 24, T. 28 N., R. 6 E*

34.18 a Beech 12 in. dia.

40.00 set of sec. post from which

an Ironwood 6 in. dia. bears S 9° W 10 W. dist. 8

a Do 4 " " " N 5° W 8 " "

58.33 a Sugar 24 " "

80.00 set post cor. of sec. 13 & 24 from which

an Elm 24 in. dia. bears S 45° W 30 W. dist. 8

a Beech 21 " " " N 39° W 28 " "

*North on the E. Boundary of Sec. 13, T. 28 N., R. 6 E*

38.39 an Ironwood 8 in. dia.

40.00 set of sec. post from which

a Hickory 11 in. dia. bears S 16° W 15 W. dist. 8

an Ironwood 7 " " " N 83° W 19 " "

64.82 a B. Ark 22 " "

80.00 set post cor. of sec. 12 & 13 from which

an Elm 10 in. dia. bears S 37° W 19 W. dist. 8

a Poplar 21 " " " N 53° W 11 " "

*North on the E. Boundary of Sec. 12, T. 28 N., R. 6 E*

24.40 a Lycamore 36 in. dia.

40.00 set of sec. post from which

*T. 28 N., R. 7 E. 2. Mer. Ind. a*  
*Chr. Spr.*

a S. Ash 18 in. dia. bears S 39° W 7 1/2 lbs. dist. 23  
 a Buckeye 9 " " " N 23° W 8 " "  
 71.10 a Beech 11 " "  
 80.00 set post cor. of sec. 14 12 from which  
 a Beech 5 in. dia. bears S 70° W 23 lbs. dist. 23  
 a Do 9 " " " N 21° W 18 " "

*North on the E. Boundary of Sec. 1, T 28 N, R 6 E*  
 29.76 a Poplar 24 in. dia.

40.00 set q. sec. post from which  
 a Buckeye 6 in. dia. bears N 44° W 6 lbs. dist. 23  
 a Sycamore 21 " " " S 58° W 26 " "  
 59.14 a Poplar 36 " "  
 80.00 set temp. post  
 Land level & 2<sup>d</sup> rate. Timber Beech, Hickory,  
 Poplar, Wyr. Ironwood & Spice  
 November 3, 1827 David Hollis  
 Deputy Surveyor.

### *Subdivision.*

*North between Sec. 35 & 36*

18.28 set post on left bank of Wabash River from which  
 a W. Ash 12 in. dia. bears N 44° W 7 1/2 lbs. dist. 23  
 a Sugar 10 " " " S 15° E 25 " "  
 Land level 2<sup>d</sup> rate. Timber Beech, Sugar,  
 Ash, Elm & Wyr. Ironwood, Spice &c.

*North between Sec. 34 & 35*

22.32 a Hackberry 12 in. dia.  
 25.00 set post on right bank of Salamanie R. from which  
 a Sycamore 4 in. dia. bears N 79° E 9 lbs. dist. 23  
 a Hackberry 18 " " " S 85° W 13 " "  
 Low rich bottom.

*Meanders of Wabash and Salamanie  
 River. Beginning at post in E. Boundary on*

T. 28 N., R. 7 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>

the left bank of Wabash River, thence down stream:

Courses	Chs. Sp.	Remarks.
S 84° W	10.50	In Sec. 36 - Rich bottom
S 60° W	13.50	
S 67° W	15.00	at 13.50 Chs. a Stream 10 Mts. wide course N.
S 46° W	7.00	
S 69° W	10.00	
S 62° W	7.50	leave Bottom, high banks
S 74° W	5.00	at 4.00 Chs. a small Island
S 79° W	10.00	at 1.00 " a Do
S 79 3/4° W	6.88	to post in line between Sec. 35 & 36
	18.28	Chs. North of corner on S. Boundary

S 85° W	11.50	In Sec. 35
S 88° W	14.00	
N 75° W	9.50	overhanging cliffs 2.00 Chs. in length
N 58° W	1.50	
N 74° W	7.00	leave high bank & enter rich bottom
West	17.00	
N 69° W	5.00	
N 49° W	18.50	to the mouth of Salamanie River. Thence right bank of Salamanie River up stream
S 9° W	8.50	
S 18 3/4° W	1.80	to post in line between Sec. 34 & 35
	25.00	Chs. North of corner on S. Bound?

S 12° W	14.50	In Sec. 34
S 10° E	9.50	
S 8° E	1.50	Intersect S. Boundary at the post.
	July 7. 1828	Josiah F. Polk Deputy Surveyor.

East on Random between Sec. 19 & 30  
 27.00 set temp. g. sec. post April 10. 1828  
 36.00 a Stream 10 Mts. wide course S.

T. 28 N., R. 7 E. 2. Mer. Ind. <sup>a</sup>

Ch. Sp.

67.00 set temp. post cor. of sec. 19, 20, 29 & 30

East on Random between Sec. 20 & 29

8.00 a Stream 12 Ws. wide course SE

40.00 set temp. gr. sec. post

47.50 a Stream 10 Ws. wide course SE

80.00 set temp. post for cor. of sec. 20, 21, 28 & 29

Land level & wet 3<sup>d</sup> rate. Timber Beech, Ash, Oak,  
Hickory, Wyr. Spice, Dogwood, Beech

East on Random between Sec. 21 & 28

34.25 a Branch 12 Ws. wide course S.

40.00 set temp. gr. sec. post

80.00 set temp. post for corner of sec. 21, 22, 27 & 28

Land rolling 2<sup>d</sup> rate. Timber as before described.

East on Random between Sec. 22 & 27

40.00 set temp. gr. sec. post

40.40 a Stream 8 Ws. wide course S.

55.40 a Do 6 " " " S.

80.00 set temp. post for cor. of sec. 22, 23, 26 & 27

Land rolling. Second half mile very broken

East on Random between Sec. 23 & 26

40.00 set temp. gr. sec. post

56.00 a Branch 10 Ws. wide course SW

80.00 set post (temp.) for cor. of sec. 23, 24, 25 & 26

Land broken & rich.

East on Random between Sec. 24 & 25

33.00 a Branch 6 Ws. wide course SE

40.00 set temp. gr. sec. post

80.10 Intersect E. Boundary 33 Ws. S. of post cor. of

Sec. 24 & 25. Land broken 2<sup>d</sup> rate. Timber  
Beech, Ash, Sugar, Poplar, Oak. Wyr. Spice,  
Pawpaw, Dogwood, Beech, Hornwood &c.



T. 28 N., R. 7 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>

Chr. Sk.

West Corrected between Sec. 24 & 25

40.00 more temp. of sec. part 10 Ws. East, and so establish  
at 40.00 Chr. from E. Boundary, from which  
an Elm 11 in. dia. bears S 61 E 7 Ws. dist 2,  
a Beech 7 " " " N 65 E 27 " "

80.00 set part cor. of sec. 23, 24, 25 & 26 from which  
a Beech 24 in. dia. bears N 55 E 22 Ws. dist 2.8  
a Do 20 " " " S 25 E 20 " "

North between Sec. 23 & 24

12.80 an Ash 30 in. dia.

40.00 set of sec. part from which  
a Beech 12 in. dia. bears N 84 E 9 Ws. dist 2.8  
an Ash 26 " " " N 79 W 25 " "

62.30 a Branch 15 Ws. wide curve SW

80.00 set part cor. of sec. 13, 14, 23 & 24 from which  
a Beech 8 in. dia. bears N 89 E 10 Ws. dist 2.8  
a Do 9 " " " N 43 W 13 " "

Land rolling good 2<sup>d</sup> rate. Timber Beech, Ash,  
Oak, Sugar, Poplar, Hickory, Walnut

East on Random between Sec. 13 & 24

6.50 a Branch 10 Ws. wide curve SW

40.00 set temp. of sec. part

79.15 Intersect E. Boundary 68 Ws. N. of part -  
Land 2<sup>d</sup> rate

West Corrected between Sec. 13 & 24

39.57 set of sec. part at aver. dist. from which  
an Ironwood 6 in. dia. bears N 13 W 34 Ws. dist 2.8  
a W. Beech 6 " " " S 64 E 14 " "

79.15 to sec. cor.

North between Sec. 13 & 14

1.40 a Hickory 24 in. dia.

10.50 a Branch curve SE

T. 28 N., R. 7 E. 2. Mer. Ind. Co.  
Chas. McK.

40.00 set gr. sec. post from which

a Beech 15 in. dia. leans N 75° E 21 W. dist. 8

a Sugar 22 " " " S 42° W 32 " "

41.50 a Branch 6 Ws. wide course SE

80.00 set post cor. of sec. 11, 12, 13 & 14 from which

a Beech 11 in. dia. leans N 23° E 24 W. dist. 8

a Do 10 " " " S 3° E 34 " "

Land rolling good 2<sup>d</sup> rate. Much Sugar, but very scarce of timber for improving.

East on Random between Sec. 12 & 13

13.50 a Branch 6 Ws. wide course SE

25.00 a Do 10 " " " SE

40.00 set temp. gr. sec. post

40.12 a Branch 10 Ws. wide course SE

79.44 Intersect E. Boundary 98 Ws. S. of post—

West. Corrected between Sec. 12 & 13

39.72 set gr. sec. post at aver. dist. from which

a Beech 14 in. dia. leans S 66° E 9 W. dist. 8

an Ark 4 " " " S 29° W 21 " "

79.44 to sec. cor. First half mile rolling 2<sup>d</sup> rate, last half mile level wet. April 11, 1828

North between Sec. 11 & 12

10.00 a Branch 10 Ws. wide course SE

40.00 set gr. sec. post from which

a Beech 10 in. dia. leans N 31° W 9 W. dist. 8

an Ark 15 " " " S 58° E 13 " "

41.17 a Beech 15 " "

48.50 a Branch 8 Ws. wide course SE

66.75 a Do 7 " " " SE

80.00 set post cor. of sec. 1, 2, 11 & 12 from which

a Beech 12 in. dia. leans N 33° W 14 W. dist. 8

a Sugar 15 " " " S 18° W 22 " "

Land 2<sup>d</sup> rate, without any change of timber.

## T. 28 N.; R. 7 E. 2. Mer. Ind. a

Chr. Ek.

East in Random between Sec. 18 &amp; 12

40.00 set temp. gr. sec. post

78.50 Intersect E. Boundary 152 Ws. E. of post.

Land level 2<sup>nd</sup> rate. Timber as last described.

West Connected between Sec. 18 &amp; 12

39.25 set gr. sec. post at aver. dirt. from which  
an Elm 12 in. dia. bears N 84° E 9 Ws. dirt. 8  
an Ash 6 " " " West 25 " "

78.50 to sec. cor.

North between Sec. 18 &amp; 2

2.35 a Beech 18 in. dia.

40.00 set gr. sec. post from which

a Beech 12 in. dia. bears N 50° E 13 Ws. dirt. 8,

a Do 12 " " " South 30 " "

41.15 a Lym 40 " "

82.65 Intersect N. Boundary 47 Ws. E. of post.

set post at intersection cor. of Sec. 18 &amp; 2 from which

an Ash 12 in. dia. bears N 15° E 14 Ws. dirt. 8

a Beech 12 " " " S 55° W 23 " "

Land level 2<sup>nd</sup> rate. Timber Beech, Ash, Oak,  
Sugar & Upr. Spice, Dogwood

South between Sec. 25 &amp; 26

35.28 a Beech 24 in. dia.

40.00 set gr. sec. post from which

a Beech 11 in. dia. bears S 22° W 14 Ws. dirt. 8,

a R. Oak 30 " " " S 45° E 34 " "

55.26 Intersect N. Boundary of La Gross Reserve,

set post from which

a cherry 15 in. dia. bears N 51° W 17 Ws. dirt. 8,

a Beech 18 " " " S 41° E 26 " "

Land rolling good 2<sup>nd</sup> rate. Timber Beech, Ash,  
Oak, Sugar, Poplar, Walnut. Upr. Spice, Paw-  
paw, Beech, Dogwood

T. 28 N., R. 7 E., S. 2 Mer. Ind.

Ch. 1. 1/2

West between Sec. 23 & 26

40.00 set of sec. post from which  
a Beech 20 in. dia. bears S 12 W 18 Ws. dist. 8  
a Do 6 " " " S 86 W 14 " "

80.00 set post cn. of sec. 22, 23, 26 & 27 from which  
a Beech 15 in. dia. bears N 42 E 9 Ws. dist. 8  
a Do 12 " " " S 34 E 29 " "

South between Sec. 26 & 27

1.80 an Elm 40 in. dia.  
3.50 a Spring branch course SE  
15.00 a Branch 15 Ws. wide course SE  
40.00 set of sec. post from which  
a Beech 15 in. dia. bears East 19 Ws. dist. 8  
a Do 14 " " " N 35 W 29 " "  
41.85 a Beech 15 " "  
54.80 Intersect N. Boundary of La Gross' Reserve,  
48.22 Ch. East of the NW corner thereof, set  
post from which  
a Beech 24 in. dia. bears N 84 W 13 Ws. dist. 8  
a Do 24 " " " S 84 E 33 " "  
A few chains North of the NW corner of La  
Gross' Reserve, is a beautiful water fall of 3 or 4  
feet over a ledge of rocks, stream perhaps 35 Ws.  
wide course S.  
Land broken & rich. Timber Beech, Ash, Oak,  
Sugar, Hickory, Poplar

North between Sec. 22 & 23

22.00 a Branch 6 Ws. wide course SE  
40.00 set of sec. post from which  
a Hickory - in dia. bears N 61 E 4 Ws. dist. 8  
a Beech 10 " " " S 5 E 11 " "  
57.85 an Ash 24 " "  
80.00 set post cn. of sec. 14, 15, 22 & 23 from which  
a Beech 18 in. dia. bears N 84 E 9 Ws. dist. 8



T. 28 N., R. 7 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>  
 6th. Sec.

a Beech 6 in. dia. bears N 65° W 12 Ws. dist.  
 Land rolling 2<sup>d</sup> rate. Timber Beech, Ash,  
 Oak, Hickory, Poplar, Walnut. Upr. Spice,  
 Pawpaw, Beech, Dogwood, Hickory, Sugar  
 Saturday evening, April 12. 1828

East on Random between Sec. 14 & 23

40.00 set temp. of sec. post

40.50 a Branch 7 Ws. wide course SE

68.00 a Do 6 " " " SE

81.30 Intersect N. H. line 32 Ws. N. of post -

Land & timber same as last described.

West Connected between Sec. 14 & 23

40.08 set of sec. post at aver. dist. from which

a Sugar 14 in. dia. bears N 44° W 21 Ws. dist. 8

a Beech 11 " " " S 18° E 18 " "

81.30 to sec. cor.

North between Sec. 14 & 15

14.65 a Beech 12 in. dia.

24.50 a Branch 7 Ws. wide course SW

40.00 set of sec. post from which

a Beech 18 in. dia. bears N 9° E 18 Ws. dist. 8

a Do 10 " " " S 18° E 20 " "

42.40 a N. Oak 24 " "

80.00 set post cor. of sec. 10, 11, 14 & 15 from which

a Beech 12 in. dia. bears S 39° E 8 Ws. dist. 8

a Do 15 " " " N 65° W 20 " "

First half mile rolling 2<sup>d</sup> rate, last half mile  
 level inclining to wet. Timber Oak, Hickory,  
 Ash, Sugar, Poplar, Walnut. Upr. Spice, Beech,  
 Pawpaw &c.

East on Random between Sec. 11 & 14

40.00 set temp. of sec. post

309

T. 28 N., R. 7 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>  
Elev. 110.

49.50 a Branch 8 lks. wide course SE

81.71 Intersect N & S. line 17 lks. S. of port -  
Sand 2<sup>d</sup> rate

---

West Corrected between Sec. 11 & 14

40.85 set of sec. port at aver. dnt. from which  
a Beech 12 in. dia. bears S 9 E 25 lks. dnt. S  
a Do 18 " " " S 60 W 19 " "

81.71 to sec. cor.

---

North between Sec. 10 & 11

1.50 a Beech 10 in. dia.

40.00 set of sec. port from which  
an Ironwood 4 in. dia. bears N 40 W 5 lks. dnt. S  
a Beech 18 " " " N 86 E 33 " "

47.86 a Beech 18 " "

79.85 a Branch 9 lks. wide course SW

80.00 set port cor. of sec. 2, 3, 10 & 11 from which  
a Beech 8 in. dia. bears N 89 W 13 lks. dnt. S  
a Sugar 11 " " " S 19 E 23 " "  
Sand level 2<sup>d</sup> rate.

---

East on Random between Sec. 2 & 11

20.00 a Branch 8 lks. wide course SE

40.00 set temp. of sec. port

80.00 Intersect N & S. line at port -  
Sand level 2<sup>d</sup> rate.

---

West Corrected between Sec. 2 & 11

40.30 set of sec. port at aver. dnt. from which  
a Beech 10 in. dia. bears N 55 W 5 lks. dnt. S  
a Do 15 " " " S 73 E 30 " "

80.00 to sec. cor.

---

North between Sec. 2 & 3

3.30 an Elm 30 in. dia.

T. 28 N., R. 7 E. 2<sup>d</sup> Mer. Ind. <sup>a</sup>

Chs. Sk.

- 40.00 set of sec. post from which  
an Elm 3 in. dia. bears S 82 E 2 1/2 M., dist. 3,  
a Beech 15 " " " N 10 1/4 " "
- 66.80 a Beech 18 " "
- 81.40 Intersect N. Boundary 155 M. E. of post -  
set post at intersection cor. of sec. 22 & 23 from which  
a Beech 11 in. dia. bears S 75 E 3 M., dist. 3,  
a Do 16 " " " S 41 1/2 W 29 " "  
Land & timber as before described.

## West Corrected between Sec. 22 &amp; 27

- 40.00 set of sec. post from which  
a Beech 18 in. dia. bears S 64 E 35 M., dist. 3,  
a Do 18 " " " S 68 1/2 W 20 " "
- 80.00 set post cor. of sec. 21, 22, 27 & 28 from which  
an Ironwood 5 in. dia. bears N 42 1/2 W 25 M., dist. 3,  
a Do 4 " " " S 55 E 23 " "

## North between Sec. 21 &amp; 22

- 3.65 an Ark 50 in. dia.
- 37.50 a Branch 8 M., wide curve SW
- 40.00 set of sec. post from which  
a Beech 12 in. dia. bears S 13 E 25 M., dist. 3,  
a Do 11 " " " N 35 E 23 " "
- 45.12 a Hickory 24 in. dia.
- 80.00 set post cor. of sec. 15, 16, 21 & 22 from which  
a Beech 15 in. dia. bears S 75 1/2 W 15 M., dist. 3,  
an Elm 36 " " " S 20 E 23 " "  
First half mile rolling, last half mile 2<sup>d</sup> rate.  
Timber Beech, Ark, Oak, Sugar, Poplar, Walnut,  
Wyp. Spice, Pawpaw, Hazel, Beech, Sugar

## East on Random between Sec. 15 &amp; 22

- 40.00 set temp. of sec. post
- 67.50 a Branch 8 M., wide curve SE
- 75.00 a Do 10 " " " SE

*T. 28 N., R. 7 E. 2. Mer. Ind.?*  
*Chr. Sk.*

79.18 Intersect N. S. line 277 Ws. S. of port—

West Corrected between Sec. 15 & 22

39.59 cut gr. sec. port at aver. dint. from which  
 a Cherry 4 in. dia. bears N 21 E 13 Ws. dint. S,  
 a Hickory 6 " " " S 2 E 20 " "

79.18 to sec. cor.

North between Sec. 15 & 16

13.50 a Branch 7 Ws. wide course S E

40.00 cut gr. sec. port from which  
 a Beech 15 in. dia. bears North 7 Ws. dint. S,  
 a Do 6 " " " S 50 E 17 " "

80.00 cut port cor. of sec. 9, 10, 15 & 16 from which  
 a W. Oak 30 in. dia. bears S 60 E 6 Ws. dint. S  
 a Beech — " " " S 61 W 16 " "  
 Last half mile swampy.

East on Random between Sec. 10 & 15

40.00 cut gr. sec. port (temp.)

78.50 Intersect N. S. line 320 Ws. S. of port—  
 Land level wet. April 15. 1828

West Corrected between Sec. 10 & 15

39.25 cut gr. sec. port at aver. dint. from which  
 a Beech 20 in. dia. bears S 65 E 10 Ws. dint. S,  
 a Do 12 " " " N 15 W 27 " "

78.50 to sec. cor.

North between Sec. 9 & 10

37.05 a Beech 24 in. dia.

40.00 cut gr. sec. port from which  
 a Beech 8 in. dia. bears S 21 E 12 Ws. dint. S,  
 a Do 8 " " " S 85 W 9 " "

45.00 a Branch 10 Ws. wide course NN

45.58 a Beech 9 in. dia.



T. 28 N., R. 7 E., 2<sup>d</sup> Mer. Ind. <sup>a</sup>  
 E. 1/2 Sec. 10

67.50 a Branch 10 Ws. wide course NW

80.00 set post cor. of sec. 3, 4, 9 & 10 from which  
 a Beech 12 in. dia. bears N 85 E 19 Ws. dnt. 2  
 a Do 10 " " " N 26 W 9 " "

Land level inclining to wet. Timber Beech,  
 Oak, Ash, Sugar, Hickory, Poplar, Upr. Spice,  
 Hazel, Beech, Hickory

East on Random between Sec. 3 & 10

40.00 set temp. of sec. post

62.50 a Branch 10 Ws. wide course SW

76.50 a Do 10 " " " SW

79.30 Intersect N. S. line 204 Ws. S. of post -  
 Land level swampy 3<sup>d</sup> rate

West Corrected between Sec. 3 & 10

39.65 set q. sec. post at aver. dnt. from which  
 a Beech 12 in. dia. bears N 83 E 28 Ws. dnt. 2  
 a Do 9 " " " S 25 W 15 " "

79.30 to sec. cor.

North between Sec. 3 & 4

19.50 a Branch 12 Ws. wide course SW

40.00 set q. sec. post from which

a Sugar 10 in. dia. bears S 42 E 3 Ws. dnt. 2

a Beech 6 " " " N 51 W 25 " "

56.85 a Sugar 24 " "

84.87 Intersect N. Boundary 247 Ws. E. of post -

set post at intersection cor. of sec. 3 & 4 from which

a Sugar 15 in. dia. bears N 18 E 4 Ws. dnt. 2

W. Oak 30 " " " S 2 W 22 " "

Land rolling 2<sup>d</sup> rate. Timber Beech, Ash, Oak,  
 Sugar, Walnut, Hickory, Upr. Spice, Pawpaw,  
 Hazel, Beech, Dogwood, Ironwood &c.

South between Sec. 27 & 28

*T. 28 N., R. 7 E., S. 2 Mer. Ind.*  
*Chr. 18?*

0.50 a Sugar 18 in. dia.

40.00 set q. sec. part from which

a Hickory 20 in. dia. leans S52E44 Ws. dist. 8

a Beech 12 " " " N52W24 " "

46.72 a Beech 18 " "

80.00 set part cor. of sec. 27, 28, 33 & 34 from which

a Beech 20 in. dia. leans S19E15 Ws. dist. 8

a Do 30 " " " S38E50 " "

Land rolling good 2<sup>d</sup> rate. Timber as before

East between Sec. 27 & 34

33.50 Intersect W. Boundary of La Crosse Reservation

25.25 Chr. South of the NW corner thereof, set  
 part from which

a Beech 30 in. dia. leans S37W13 Ws. dist. 8

a Do 12 " " " N32W16 " "

Land broken

South between Sec. 33 & 34

2.50 a Beech 18 in. dia.

40.00 set q. sec. part from which

a Buckeye 12 in. dia. leans S53W8 Ws. dist. 8

a Beech 36 " " " N68E11 " "

51.32 set part on right bank of Wabash River from which

an Elm 10 in. dia. leans S43E44 Ws. dist. 8

a Sugar 18 " " " West 23 " "

Land broken & rich. April 16, 1828

West Connected between Sec. 21 & 28

46.00 set q. sec. part from which

a Hickory 18 in. dia. leans N58E11 Ws. dist. 8

a Beech 16 " " " South 18 " "

80.00 set part cor. of sec. 20, 21, 28 & 29 from which

a W. Beech 6 in. dia. leans S87E12 Ws. dist. 8

a W. Oak 10 " " " S14W14 " "

T. 28 N., R. 7 E. 2<sup>d</sup> Mer. Ind.<sup>o</sup>

Chm. Pls.

South between Sec. 28 &amp; 29

3.08 a Beech 12 in. dia.

40.00 set gr. sec. part from which

a Beech 12 in. dia. bears S 16 E 11 W. dist. 8

a Hickory 3 " " N 10 W 18 " "

45.40 a Poplar 18 " "

57.50 a Branch 9 W. wide course S E

80.00 set part on. of sec. 28, 29, 32 &amp; 33 from which

a Beech 30 in. dia. bears S 30 W 26 W. dist. 8

a Buckeye 6 " " N 36 W 21 " "

Land rolling &amp; rich.

East on Random between Sec. 28 &amp; 33

7.20 a Branch 20 W. wide course S W

40.00 set temp. gr. sec. part

78.55 Intersect N. S. line 22 W. S. of part -

Land broken &amp; rich

West Corrected between Sec. 28 &amp; 33

39.27 set gr. sec. part at aver. dist. from which

a Maple 5 in. dia. bears S 45 E 12 W. dist. 8

a Beech 12 " " S 21 E 36 " "

78.55 to sec. cor.

South between Sec. 32 &amp; 33

5.00 a Branch 20 W. wide course S W

12.35 a Walnut 30 in. dia.

40.00 set gr. sec. part from which

a Beech 24 in. dia. bears S 12 E 26 W. dist. 8

an Elm 4 " " N 11 E 10 " "

46.00 an Elm 20 " "

58.75 a Branch 10 W. wide course S W

71.05 set part on right bank of Wabash R. from which

a W. Oak 10 in. dia. bears S 60 W 11 W. dist. 8

a Hickory 5 " " N 79 E 8 " "

Land broken but rich. Timber Beech, Oak,

Ash, Sugar, Poplar, Walnut, Hickory, Upr. Spice,

T. 28 N., R. 7 E. 2. Mer. Ind.<sup>a</sup>  
Ch. Sk.

Populus, Beech, Sugar &c.

North between Sec. 20 & 21

8.02 a Lynn 30 in. dia.

40.00 set of sec. part from which

a Beech 15 in. dia bears N 30 E 29 lbs. dist. 8

a Do 20 " " " S 12 E 11 " "

49.08 a Beech 12 " "

80.00 set part cor. of sec. 16, 17, 20 & 21 from which

a Sugar 20 in. dia bears N 68 E 22 lbs. dist. 8

a Hickory 18 " " " S 71 W 12 " "

Low rolling State. Timber as before noted.

East on Random between Sec. 16 & 21

22.00 a Branch 6 lbs. wide course S.

39.50 a Do 8 " " " S.

40.00 set temp. of sec. part

63.50 a Branch 8 lbs. wide course SW

82.88 Intersect. N. E. line 309 lbs. N. of part -

Land rolling State. Timber Beech, Ash, Oak,  
Sugar, Hickory, Poplar, Upr. Spruce &c.

West. Corrected between Sec. 16 & 21

41.44 set of sec. part at aver. dist. from which

an Ash 10 in. dia bears N 83 W 12 lbs. dist. 12

a Buckeye 6 " " " N 69 E 23 " "

82.88 to sec. cor.

North between Sec. 16 & 17

40.00 set of sec. part from which

a Buckeye 6 in. dia bears N 4 W 14 lbs. dist. 8

a Lynn 6 " " " S 65 E 14 " "

44.75 a Beech 15 " "

80.00 set part cor. of sec. 8, 9, 16 & 17 from which

a Beech 12 in. dia bears S 47 W 7 lbs. dist. 8

a Do 15 " " " N 71 E 37 " "



T. 28. N., R. 7 E. 2. Mer. Ind. a

Ch. 1. 1st.

Land level swampy. Timber to correspond.

East on Random between Sec. 9 & 16

14.75 a Branch 10 Ws. wide course N

40.00 set temp. of sec. point

81.90 Intersect N. S. line 192 Ws. N. of point -

Land at this time swampy.

Thursday, April 17. 1828

West Connected between Sec. 9 & 16

40.95 set of sec. point at aver. dist. from which

an Ash 8 in. diameter S 50° W 20 Ws. dist. 8

an Elm 20 " " " N 35° W 25 " "

81.90 to sec. cor.

North between Sec. 8 & 9

20.00 a Branch 10 Ws. wide course SW

40.00 set of sec. point from which

a Beech 15 in. diameter N 85° E 22 Ws. dist. 8

a Buckeye 12 " " " S 20° W 26 " "

51.00 a Branch 30 Ws. wide course SW

54.25 a Beech 18 in. dia.

80.00 set point cor. of sec. 4, 5, 8 & 9 from which

a Hickory 24 in. diameter N 58° W 14 Ws. dist. 8

an Ash 10 " " " S 5° E 7 " "

East on Random between Sec. 4 & 9

21.50 a Branch 20 Ws. wide course SW

40.00 set temp. of sec. point

81.82 Intersect N. S. line 144 Ws. N. of point -

Land level swampy

West Connected between Sec. 4 & 9

40.91 set of sec. point at aver. dist. from which

a Buckeye 12 in. diameter S 68° W 17 Ws. dist. 8

a Beech 11 " " " N 53° E 31 " "

Sample

T. 28 N., R. 7 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>

Ch. 1<sup>st</sup>

81.82 to sec. cor.

North between Sec. 4 & 5

9.10 a Hickory 30 in. dia.

40.00 set of sec. post from which

a Beech 18 in. dia. bears S 75° W 6 1/2 M., dist. 8

a Buckeye 8 " " " N 52° E 21 " "

41.40 a W. Oak 36 " "

80.19 Intersect N. Boundary 34 M., E. of post—

set post at intersection cor. of sec. 4 & 5 from which

a Beech 15 in. dia. bears S 75° W 3 1/2 M., dist. 3

a Do 12 " " " East 13 " "

Land somewhat rolling & poor. Timber Oak,  
Hickory. Upl. Hornwood, Dogwood, B. Hawth &c.

West Corner between Sec. 20 & 29

40.00 set of sec. post from which

an Ash 15 in. dia. bears N 11° W 3 1/2 M., dist. 8

an Elm 8 " " " S 51° E 6 " "

80.00 set post cor. of sec. 19, 20, 29 & 30 from which

a Maple 20 in. dia. bears N 15° W 6 1/2 M., dist. 8

a R. Oak 15 " " " N 79° E 4 3/4 " "

North between Sec. 19 & 20

2.00 a Branch 10 M., wide course SW

23.12 a Beech 10 in. dia.

40.00 set of sec. post from which

a R. Oak 36 in. dia. bears S 49° E 8 1/2 M., dist. 8

a Beech 11 " " " N 42° W 18 " "

45.25 a Beech 18 " "

80.00 set post cor. of sec. 17, 18, 19 & 20 from which

an Ash 15 in. dia. bears N 49° E 25 M., dist. 8

an Elm 12 " " " S 48° W 20 " "

Land rolling & rate. Timber Beech, Ash, Oak,  
Sugar. Upl. Dogwood, Spice &c.

T. 28 N., R. 7 E. 2<sup>d</sup> Mer. Ind. a

Chr. Spr.

East on Random between Sec. 17 &amp; 20

40.00 set temp. of sec. post

77.25 Intersect N &amp; S. line 73 Ws. N. of post—

Land level &amp; wet. Timber as before described

West Corrected between Sec. 17 &amp; 20

38.62 set of sec. post at aver. dist. from which

a Beech 20 in. diam. bears N 81° W 20 Ws. dist. 3

a Do 18 " " " N 83° E 38 " "

77.25 to sec. cor.

North between Sec. 17 &amp; 18

3.54 an Ash 30 in. dia.

40.00 set of sec. post from which

a Beech 20 in. diam. bears N 41° E 3 Ws. dist. 3

a Do 11 " " " S 18° E 22 " "

54.00 a Beech 20 " "

80.00 set post cor. of sec. 7, 8, 17 &amp; 18 from which

a Beech 15 in. diam. bears N 45° E 25 Ws. dist. 3

a Do 20 " " " S 64° E 32 " "

Land level & full of stone pits or small Wetland  
Swamps. Timber Beech, Ash, Oak & Upr. Spice,  
Dogwood &c

East on Random between Sec. 8 &amp; 17

29.50 a Branch 8 Ws. wide course NW

40.00 set temp. of sec. post

77.10 Intersect N &amp; S. line 32 Ws. N. of post—

Land level & wet. Timber as before except some  
Poplar. Upr. B. Haw, Beech &c

West Corrected between Sec. 8 &amp; 17

38.55 set of sec. post at aver. dist. from which

a Buckeye 10 in. diam. bears S 18° E 11 Ws. dist. 3

a hickory 8 " " " S 83° W 16 " "

77.10 to sec. cor. April 19. 1828

## T28 N., R. 7 E. 2. Mer. Ind.

Ch. E. 12.

South between Sec. 29 &amp; 30

9.10 a Beech 20 in. dia.

40.00 set q. sec. post from which

a Beech 12 in. dia. bears S46 E 20 W. dist 8

a Do 18 " " " S72 W 11 " "

51.50 a Beech 30 " "

80.00 set post ca. of sec. 29, 30, 31 &amp; 32 from which

a Sugar 24 in. dia. bears S39 W 15 W. dist 8

a Beech 20 " " " N65 E 20 " "

First half mile level, last half mile rolling 2.  
 rate. Timber Beech, Ash, Oak, Hickory, Poplar,  
 Walnut. Upr. Spice, Dogwood, Sumner

South between Sec. 31 &amp; 32

3.00 an Elm 20 in. dia.

40.00 set q. sec. post from which

a Poplar 30 in. dia. bears S63 E 2 W. dist 8

a Beech 20 " " " N62 W 19 " "

43.00 an Elm 24 " "

63.50 a Branch 12 W. wide corner SE

75.00 Intersect S. Boundary 278 W. W. of post -

set post at intersection ca. of sec. 31 &amp; 32 from which

a Beech 14 in. dia. bears S84 E 22 W. dist 8

a Do 10 " " " N70 W 14 " "

Land broken &amp; thickety. Obliterated old corner.

East on Random between Sec. 29 &amp; 32

40.00 set temp. q. sec. post

79.56 Intersect N. S. line 60 W. S. of post -

First half mile level, last half mile broken.  
 2<sup>nd</sup> rate land

West Corrected between Sec. 29 &amp; 32

39.78 set q. sec. post at aver. dist. from which

an Ironwood 8 in. dia. bears N38 E 14 W. dist 8

a Do 6 " " " S33 W 22 " "



T. 28 N., R. 7 E., 2<sup>d</sup> Mer. Ind.  
 E. 1<sup>st</sup> Sec.  
 79.56 to sec. cor.

West between Sec. 30 & 31

40.00 set of sec. post from which  
 an Ash 20 in. dia. leans S 50° E 14 W, dint. 3,  
 a Sugar 16 " " " N 80° W 19 " "

67.00 Intersect W. Boundary at corner.  
 Sand level 2<sup>d</sup> rate, timber as before described.

West between Sec. 19 & 30

40.00 set of sec. post from which  
 a P. Oak 15 in. dia. leans N 45° W 8 W, dint. 3,  
 an Ironwood 6 " " " N 81° E 28 " "

67.10 Intersect W. Boundary at corner & marked  
 the proper numbers.

West between Sec. 18 & 7

40.00 set of sec. post from which  
 a Beech 30 in. dia. leans N 69° W 9 W, dint. 3,  
 an Ironwood - " " " N 54° E 17 " "

67.30 Intersect W. Boundary at corner.  
 Sand level 2<sup>d</sup> rate

North between Sec. 7 & 8

2.35 a Lym 18 in. dia.

6.00 a Branch 8 W. wide course W

40.00 set of sec. post from which  
 a Hickory 14 in. dia. leans N 10° W 15 W, dint. 3,  
 a Buckeye 7 " " " S 64° W 5 " "

42.00 a Branch 12 W. wide course W

56.35 a W. Oak 18 in. dia.

80.00 set post cor. of sect. 5, 6, 7 & 8 from which  
 a Lym 10 in. dia. leans N 40° W 16 W, dint. 3,  
 an Ash 10 " " " S 40° E 30 " "  
 Sand rolling 2<sup>d</sup> rate. Similar Oak

*Chas. Sk.* T. 28 N., R. 7 E. S. 2 Mer. Ind.?

East on Random between Sec. 5 & 8

40.00 set temp. of sec. post

77.50 Intersect N. & S. line at post - Land 2. rate.

West Corrected between Sec. 5 & 8

38.75 set of sec. post at aver. dist. from which  
an Ironwood 5 in. dia. bears S 78° W 10 M., dist. 2,  
a Beech 9 " " " S 78° W 25 " "

77.50 to sec. cor.

North between Sec. 5 & 6

4.02 an Elm 20 in. dia.

40.00 set of sec. post from which

a Beech 22 in. dia. bears N 60° W 10 M., dist. 2,  
a Sugar 9 " " " S 45° E 27 " "

54.22 a Sycamore 24 " "

78.34 Intersect N. Boundary 208 M. E. of post -

set post at intersection cor. of sec. 5 & 6 from which  
an Ash 24 in. dia. bears S 86° W 8 M., dist. 2,  
a Sycamore 12 " " " S 45° E 8 " "  
Land level sweet. Much Sycamore & Oak.  
Upr. Spice, Dogwood, Sycamore

West between Sec. 6 & 7

10.55 a W. Oak 36 in. dia.

40.00 set of sec. post from which

a Poplar 30 in. dia. bears N 49° W 20 M., dist. 2,  
a Buckeye 11 " " " N 68° W 19 " "

23.70 a Beech 12 " "

65.73 Intersect W. Boundary 83 M. N. of post -

set post at intersection cor. of sec. 6 & 7 from which  
a Beech 6 in. dia. bears N 50° W 10 M., dist. 2,  
a Do 22 " " " S 38° E 33 " "

Land level 2. rate. April 24. 1828

~~Meander of Wabash River. Right bank~~

## T. 28 N., R. 7 E. 2. Mer. Ind.

Chs. Sh.

West between Sect. 18 &amp; 19

40.00 set of sec. post from which  
an Ironwood 5 in. diameter N 39 W 17 W. dist 2  
a do 5 " " S 60 E 10 " "

68.16 Intersect W. Boundary at corner.

Land somewhat rolling & rate. Timber Beech,  
Ash, Oak &c.

Meanders of Wabash River. Right bank up  
stream. Beginning at post in S. Boundary of  
Sec. 32, thence:

Courses Chs. Sh.

Remarks.

N 52 E 5.00 In Sec. 32 - to post in line betw. Sec. 32 & 33

S 69 E 9.50 In Sec. 33 - to post in S. Boundary.

Commencing again at the upper corner  
in the S. Boundary in Sec. 33, thence:

N 49 E 14.00 In Sec. 33

N 58 E 32.00

N 37 E 0.50 to post in line between Sect. 33 & 34

N 68 E 3.50 In Sec. 34

N 58 E 10.00

N 38 E 8.50 opposite an Island

N 69 E 16.00

N 58 E 1.10 Intersect corner of La Gross' Reserve.

Pursuant to a contract dated January  
29<sup>th</sup> 1828 with, and instructions from, Edward  
Tiffin, Surveyor General of the United States,  
I have surveyed and subdivided into sections  
the foregoing Township in Indiana as described  
in said contract - And I certify that the fore-  
going are correct and true field notes of the lines

323

T. 28 N., R. 7 E. 2.<sup>d</sup> Mer. Ind.?

which they purport to be, as part of said contract  
Certified 24<sup>th</sup> July 1828

John Hendricks  
Deputy Surveyor.

---

I certify that the foregoing transcript of  
Field Notes of the survey of Township N. 28  
North, of Range N. 7 East of the 2.<sup>d</sup> Principal  
Meridian, in the State of Indiana, has been  
compared with the original on file in this office,  
and found to be correct.

Surveyor General's Office,  
Cincinnati, March 14. 1845

William Johnston  
Sur. Genl.

*Receipt*